


### AMENDMENTS TO THE CLAIMS:

The following listing of claims will replace all prior versions and listings of claims in the application.


Claims 1-18 (canceled)

Claim 19 (previously presented): An isopentylcarboxanilide of formula (I)



in which

L represents




where the bond labelled with \* is attached to the amide nitrogen atom, and the bond labelled with # is attached to the alkyl side chain,

R<sup>1</sup> represents hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>6</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulphinyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulphonyl, halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl, formyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, (C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, or (C<sub>1</sub>-C<sub>3</sub>-alkoxy)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl; represents halo-(C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl or halo-(C<sub>1</sub>-C<sub>3</sub>-alkoxy)-carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; represents (C<sub>1</sub>-C<sub>8</sub>-alkyl)carbonyl, (C<sub>1</sub>-C<sub>8</sub>-alkoxy)carbonyl, (C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl)carbonyl, or (C<sub>3</sub>-C<sub>8</sub>-cycloalkyl)carbonyl; represents (C<sub>1</sub>-C<sub>6</sub>-haloalkyl)carbonyl, (C<sub>1</sub>-C<sub>6</sub>-haloalkoxy)carbonyl, (halo-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl)carbonyl, or (C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl)carbonyl having in each case 1

- to 9 fluorine, chlorine, and/or bromine atoms; or represents  $-C(=O)C(=O)R^4$ ,  $-CONR^5R^6$ , or  $-CH_2NR^7R^8$ ,
- $R^2$  represents hydrogen, fluorine, chlorine, methyl, or trifluoromethyl,
- $R^3$  represents hydrogen, halogen,  $C_1$ - $C_8$ -alkyl, or  $C_1$ - $C_8$ -haloalkyl,
- $R^4$  represents hydrogen,  $C_1$ - $C_8$ -alkyl,  $C_1$ - $C_8$ -alkoxy,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_3$ - $C_8$ -cycloalkyl; or represents  $C_1$ - $C_6$ -haloalkyl,  $C_1$ - $C_6$ -haloalkoxy, halo- $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_3$ - $C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,
- $R^5$  and  $R^6$  independently of one another each represent hydrogen,  $C_1$ - $C_8$ -alkyl,  $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl,  $C_3$ - $C_8$ -cycloalkyl; or represent  $C_1$ - $C_8$ -haloalkyl, halo- $C_1$ - $C_4$ -alkoxy- $C_1$ - $C_4$ -alkyl, or  $C_3$ - $C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or  $R^5$  and  $R^6$  together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and  $C_1$ - $C_4$ -alkyl, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and  $NR^9$ ,
- $R^7$  and  $R^8$  independently of one another represent hydrogen,  $C_1$ - $C_8$ -alkyl, or  $C_3$ - $C_8$ -cycloalkyl; or represent  $C_1$ - $C_8$ -haloalkyl,  $C_3$ - $C_8$ -halocycloalkyl having in each case 1 to 9 fluorine, chlorine and/or bromine atoms; or  $R^7$  and  $R^8$  together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring members that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and  $C_1$ - $C_4$ -alkyl, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and  $NR^9$ ,
- $R^9$  represents hydrogen or  $C_1$ - $C_6$ -alkyl, and

A represents

(1) a radical of formula (A1)



in which

R<sup>10</sup> represents hydrogen, hydroxyl, formyl, cyano, halogen, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylthio, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; or represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, or C<sub>1</sub>-C<sub>4</sub>-haloalkylthio having in each case 1 to 5 halogen atoms; or represents aminocarbonyl or aminocarbonyl-C<sub>1</sub>-C<sub>4</sub>-alkyl,

R<sup>11</sup> represents hydrogen, halogen, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>1</sub>-C<sub>4</sub>-alkylthio; or represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkylthio having in each case 1 to 5 halogen atoms, and


R<sup>12</sup> represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, hydroxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl; represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio-C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl having in each case 1 to 5 halogen atoms; or represents phenyl,

with the proviso that R<sup>10</sup> does not represent iodine if R<sup>11</sup> represents hydrogen, and

with the proviso that R<sup>10</sup> does not represent trifluoromethyl or difluoromethyl if R<sup>3</sup> and R<sup>11</sup> represent hydrogen and R<sup>12</sup> represents methyl,

or

(2) a radical of formula (A2)




in which

R<sup>13</sup> and R<sup>14</sup> independently of one another represent hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, and

R<sup>15</sup> represents halogen, cyano, or C<sub>1</sub>-C<sub>4</sub>-alkyl; or represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy having in each case 1 to 5 halogen atoms,

or

(3) a radical of formula (A3)



in which

R<sup>16</sup> and R<sup>17</sup> independently of one another represent hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, and

R<sup>18</sup> represents hydrogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms,

or

(4) a radical of formula (A4)



in which

R<sup>19</sup> represents hydrogen, halogen, hydroxyl, cyano, or C<sub>1</sub>-C<sub>6</sub>-alkyl; or represent C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy or C<sub>1</sub>-C<sub>4</sub>-haloalkylthio having in each case 1 to 5 halogen atoms,

or

(5) a radical of formula (A5)




in which

R<sup>20</sup> represents halogen, hydroxyl, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>1</sub>-C<sub>4</sub>-alkylthio; or represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy having in each case 1 to 5 halogen atoms, and

$R^{21}$  represents hydrogen, halogen, cyano,  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy, or  $C_1$ - $C_4$ -alkylthio; represents  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -haloalkoxy having in each case 1 to 5 halogen atoms; or represents  $C_1$ - $C_4$ -alkylsulphinyl or  $C_1$ - $C_4$ -alkylsulphonyl,

or

(6) a radical of formula (A6)



or

(7) a radical of formula (A7)



in which  $R^{22}$  represents  $C_1$ - $C_4$ -alkyl or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms,

or


(8) a radical of formula (A8)



in which  $R^{23}$  represents  $C_1$ - $C_4$ -alkyl or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms,

or

(9) a radical of formula (A9)



in which


$R^{24}$  and  $R^{25}$  independently of one another represent hydrogen, halogen, amino,  $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms, and

$R^{26}$  represents hydrogen,  $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms,

with the proviso that R<sup>24</sup> and R<sup>26</sup> do not simultaneously represent methyl if R<sup>25</sup> represents hydrogen,

or

(10) a radical of formula (A10)



in which


R<sup>27</sup> and R<sup>28</sup> independently of one another represent hydrogen,

halogen, amino, nitro, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, and

R<sup>29</sup> represents halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms,

or

(11) a radical of formula (A11)



in which


R<sup>30</sup> represents hydrogen, halogen, amino, C<sub>1</sub>-C<sub>4</sub>-alkylamino, di(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, and

R<sup>31</sup> represents halogen, hydroxyl, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; or represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>1</sub>-C<sub>4</sub>-haloalkoxy having in each case 1 to 5 halogen atoms,

with the proviso that R<sup>31</sup> does not represent trifluoromethyl, difluoromethyl or methyl if R<sup>3</sup> represents hydrogen and R<sup>30</sup> represents methyl,

or

(12) a radical of formula (A12)




in which

$R^{32}$  represents hydrogen, halogen, amino,  $C_1$ - $C_4$ -alkylamino, di( $C_1$ - $C_4$ -alkyl)amino, cyano,  $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms, and

$R^{33}$  represents halogen,  $C_1$ - $C_4$ -alkyl, or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms,

or

(13) a radical of formula (A13)



in which

$R^{34}$  represents hydrogen or  $C_1$ - $C_4$ -alkyl, and

$R^{35}$  represents halogen or  $C_1$ - $C_4$ -alkyl,

or


(14) a radical of formula (A14)



in which  $R^{36}$  represents hydrogen, halogen,  $C_1$ - $C_4$ -alkyl or  $C_1$ - $C_4$ -haloalkyl having 1 to 5 halogen atoms,

or


(15) a radical of formula (A15)



in which  $R^{37}$  represents halogen, hydroxyl,  $C_1$ - $C_4$ -alkyl,  $C_1$ - $C_4$ -alkoxy, or  $C_1$ - $C_4$ -alkylthio; or represents  $C_1$ - $C_4$ -haloalkyl,  $C_1$ - $C_4$ -haloalkylthio, or  $C_1$ - $C_4$ -haloalkoxy having in each case 1 to 5 halogen atoms,

or

(16) a radical of formula (A16)



in which

R<sup>38</sup> represents hydrogen, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, hydroxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl, di(C<sub>1</sub>-C<sub>4</sub>-alkyl)aminosulphonyl, C<sub>1</sub>-C<sub>6</sub>-alkylcarbonyl, or optionally substituted phenylsulphonyl or benzoyl,

R<sup>39</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms,

R<sup>40</sup> represents hydrogen, halogen, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms, and

R<sup>41</sup> represents hydrogen, halogen, C<sub>1</sub>-C<sub>4</sub>-alkyl, or C<sub>1</sub>-C<sub>4</sub>-haloalkyl having 1 to 5 halogen atoms,

with the proviso that R<sup>40</sup> does not represent trifluoromethyl,

or


(17) a radical of formula (A17)



in which R<sup>42</sup> represents C<sub>1</sub>-C<sub>4</sub>-alkyl.

Claim 20 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which

L represents



where the bond labelled with \* is attached to the amide nitrogen atom, and the bond labelled with # is attached to the alkyl side chain,

R<sup>1</sup> represents hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulphinyl, C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl, C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylthio, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulphinyl, C<sub>1</sub>-C<sub>4</sub>-haloalkylsulphonyl, halo-C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>8</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; represents formyl, formyl-C<sub>1</sub>-C<sub>3</sub>-



alkyl, (C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, or (C<sub>1</sub>-C<sub>3</sub>-alkoxy)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl; represents halo-(C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl, or halo-(C<sub>1</sub>-C<sub>3</sub>-alkoxy)-carbonyl-C<sub>1</sub>-C<sub>3</sub>-alkyl having in each case 1 to 13 fluorine, chlorine, and/or bromine atoms; represents (C<sub>1</sub>-C<sub>6</sub>-alkyl)carbonyl, (C<sub>1</sub>-C<sub>4</sub>-alkoxy)carbonyl, (C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl, or (C<sub>3</sub>-C<sub>6</sub>-cycloalkyl)carbonyl; represents (C<sub>1</sub>-C<sub>4</sub>-haloalkyl)carbonyl, (C<sub>1</sub>-C<sub>4</sub>-haloalkoxy)carbonyl, (halo-C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl)carbonyl, or (C<sub>3</sub>-C<sub>6</sub>-halocycloalkyl)carbonyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or represents -C(=O)C(=O)R<sup>4</sup>, -CONR<sup>5</sup>R<sup>6</sup>, or -CH<sub>2</sub>NR<sup>7</sup>R<sup>8</sup>,

R<sup>2</sup> represents hydrogen, fluorine, chlorine, methyl, or trifluoromethyl,

R<sup>3</sup> represents hydrogen, fluorine, chlorine, bromine, iodine, C<sub>1</sub>-C<sub>6</sub>-alkyl, or C<sub>1</sub>-C<sub>6</sub>-haloalkyl having 1 to 13 fluorine, chlorine, and/or bromine atoms,

R<sup>4</sup> represents hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; represents C<sub>1</sub>-C<sub>4</sub>-haloalkyl, C<sub>1</sub>-C<sub>4</sub>-haloalkoxy, halo-C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms,

R<sup>5</sup> and R<sup>6</sup> independently of one another each represent hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; represent C<sub>1</sub>-C<sub>4</sub>-haloalkyl, halo-C<sub>1</sub>-C<sub>3</sub>-alkoxy-C<sub>1</sub>-C<sub>3</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R<sup>5</sup> and R<sup>6</sup> together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- to tetrasubstituted by identical or different substituents selected from the group consisting of halogen and C<sub>1</sub>-C<sub>4</sub>-alkyl, where the heterocycle optionally contains 1 or 2 further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and NR<sup>9</sup>,


R<sup>7</sup> and R<sup>8</sup> independently of one another represent hydrogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, or C<sub>3</sub>-C<sub>6</sub>-cycloalkyl; or represent C<sub>1</sub>-C<sub>4</sub>-haloalkyl or C<sub>3</sub>-C<sub>6</sub>-halocycloalkyl having in each case 1 to 9 fluorine, chlorine, and/or bromine atoms; or R<sup>7</sup> and R<sup>8</sup> together with the nitrogen atom to which they are attached form a saturated heterocycle having 5 to 8 ring atoms that is optionally mono- or polysubstituted by identical or different substituents selected from the group consisting of halogen and C<sub>1</sub>-C<sub>4</sub>-alkyl, where the heterocycle optionally contains 1 or 2

further non-adjacent heteroatoms selected from the group consisting of oxygen, sulphur, and R<sup>9</sup>,

R<sup>9</sup> represents hydrogen or C<sub>1</sub>-C<sub>4</sub>-alkyl, and

A represents

(1) a radical of formula (A1)



in which

R<sup>10</sup> represents hydrogen, hydroxyl, formyl, cyano, fluorine, chlorine, bromine, iodine, methyl, ethyl, isopropyl, methoxy, ethoxy, methylthio, ethylthio, or cyclopropyl; represents C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms; represents trifluoromethylthio, difluoromethylthio, aminocarbonyl, aminocarbonylmethyl, or aminocarbonylethyl,

R<sup>11</sup> represents hydrogen, chlorine, bromine, iodine, methyl, ethyl, methoxy, ethoxy, methylthio, ethylthio, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and


R<sup>12</sup> represents hydrogen, methyl, ethyl, n-propyl, isopropyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, hydroxymethyl, hydroxyethyl, cyclopropyl, cyclopentyl, cyclohexyl, or phenyl,

with the proviso that R<sup>10</sup> does not represent iodine if R<sup>11</sup> represents hydrogen and

with the proviso that R<sup>10</sup> does not represent trifluoromethyl or difluoromethyl if R<sup>11</sup> and R<sup>12</sup> represent hydrogen and R<sup>12</sup> represents methyl,

or

(2) a radical of formula (A2)




in which

R<sup>13</sup> and R<sup>14</sup> independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R<sup>15</sup> represents fluorine, chlorine, bromine, iodine, cyano, methyl, or ethyl; or represents C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(3) a radical of formula (A3)



in which

R<sup>16</sup> and R<sup>17</sup> independently of one another represent hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R<sup>18</sup> represents hydrogen, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or


(4) a radical of formula (A4)



in which R<sup>19</sup> represents hydrogen, fluorine, chlorine, bromine, iodine, hydroxyl, cyano, or C<sub>1</sub>-C<sub>4</sub>-alkyl; or represents C<sub>1</sub>-C<sub>2</sub>-haloalkyl, C<sub>1</sub>-C<sub>2</sub>-haloalkoxy, or C<sub>1</sub>-C<sub>2</sub>-haloalkylthio having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(5) a radical of formula (A5)



in which


R<sup>20</sup> represents fluorine, chlorine, bromine, iodine, hydroxyl, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, methoxy, ethoxy, methylthio, ethylthio, difluoro-

methylthio, or trifluoromethylthio; or represents C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R<sup>21</sup> represents hydrogen, fluorine, chlorine, bromine, iodine, cyano, C<sub>1</sub>-C<sub>4</sub>-alkyl, methoxy, ethoxy, methylthio, ethylthio, C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms, C<sub>1</sub>-C<sub>2</sub>-alkylsulphinyl, or C<sub>1</sub>-C<sub>2</sub>-alkylsulphonyl,


or

(6) a radical of formula (A6)



or

(7) a radical of formula (A7)



in which R<sup>22</sup> represents methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or


(8) a radical of formula (A8)



in which R<sup>23</sup> represents methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(9) a radical of formula (A9)




in which

$R^{24}$  and  $R^{25}$  independently of one another represent hydrogen, fluorine, chlorine, bromine, amino, methyl, ethyl, or  $C_1$ - $C_2$ -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and  $R^{26}$  represents hydrogen, fluorine, chlorine, bromine, iodine, methyl, ethyl, or  $C_1$ - $C_2$ -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, with the proviso that  $R^{24}$  and  $R^{26}$  do not simultaneously represent methyl if  $R^{25}$  represents hydrogen,

or

(10) a radical of formula (A10)



in which

$R^{27}$  and  $R^{28}$  independently of one another represent hydrogen, fluorine, chlorine, bromine, amino, nitro, methyl, ethyl, or  $C_1$ - $C_2$ -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and  $R^{29}$  represents fluorine, chlorine, bromine, methyl, ethyl, or  $C_1$ - $C_2$ -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(11) a radical of formula (A11)



in which

$R^{30}$  represents hydrogen, fluorine, chlorine, bromine, amino,  $C_1$ - $C_4$ -alkylamino, di( $C_1$ - $C_4$ -alkyl)amino, cyano, methyl, ethyl, or  $C_1$ - $C_2$ -haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and  $R^{31}$  represents fluorine, chlorine, bromine, hydroxyl, methyl, ethyl, methoxy, ethoxy, or cyclopropyl; or represents  $C_1$ - $C_2$ -haloalkyl or  $C_1$ - $C_2$ -haloalkoxy having 1 to 5 fluorine, chlorine, and/or bromine atoms,

with the proviso that R<sup>31</sup> does not represent trifluoromethyl, difluoromethyl, or methyl if R<sup>3</sup> represents hydrogen and R<sup>30</sup> represents methyl,

or

(12) a radical of formula (A12)




in which

R<sup>32</sup> represents hydrogen, fluorine, chlorine, bromine, amino, C<sub>1</sub>-C<sub>4</sub>-alkylamino, di(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino, cyano, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R<sup>33</sup> represents fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(13) a radical of formula (A13)




in which

R<sup>34</sup> represents hydrogen, methyl, or ethyl, and

R<sup>35</sup> represents fluorine, chlorine, bromine, methyl, or ethyl,

or


(14) a radical of formula (A14)



in which R<sup>36</sup> represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

or


(15) a radical of formula (A15)



in which R<sup>37</sup> represents fluorine, chlorine, bromine, iodine, hydroxyl, C<sub>1</sub>-C<sub>4</sub>-alkyl, methoxy, ethoxy, methylthio, ethylthio, difluoromethylthio, or trifluoromethylthio; or represents C<sub>1</sub>-C<sub>2</sub>-haloalkyl or C<sub>1</sub>-C<sub>2</sub>-haloalkoxy having in each case 1 to 5 fluorine, chlorine, and/or bromine atoms,

or

(16) a radical of formula (A16)



in which

R<sup>38</sup> represents hydrogen, methyl, ethyl, C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, C<sub>1</sub>-C<sub>2</sub>-alkoxy-C<sub>1</sub>-C<sub>2</sub>-alkyl, hydroxymethyl, hydroxyethyl, methylsulphonyl, or dimethylaminosulphonyl,

R<sup>39</sup> represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

R<sup>40</sup> represents hydrogen, fluorine, chlorine, bromine, cyano, methyl, ethyl, isopropyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms, and

R<sup>41</sup> represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, or C<sub>1</sub>-C<sub>2</sub>-haloalkyl having 1 to 5 fluorine, chlorine, and/or bromine atoms,

with the proviso that R<sup>40</sup> does not represent trifluoromethyl,

or

(17) a radical of formula (A17)



in which R<sup>42</sup> represents methyl, ethyl, n-propyl or isopropyl.

Claim 21 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which L represents L-1.

Claim 22 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which L represents L-2.

Claim 23 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which R<sup>1</sup> represents hydrogen, formyl, or -C(=O)C(=O)R<sup>4</sup>, where R<sup>4</sup> is as defined in Claim 19.

Claim 24 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which A represents A1.

Claim 25 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which R<sup>3</sup> represents hydrogen.

Claim 26 (previously presented): An isopentylcarboxanilide of formula (I) according to Claim 19 in which R<sup>3</sup> represents halogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, or C<sub>1</sub>-C<sub>8</sub>-haloalkyl.

Claim 27 (canceled)

Claim 28 (previously presented): A composition for controlling unwanted microorganisms comprising one or more isopentylcarboxanilides of formula (I) according to Claim 19 and one or more extenders and/or surfactants.

Claim 29 (previously presented): A method for controlling unwanted microorganisms comprising applying an effective amount of an isopentylcarboxanilide of formula (I) according to Claim 19 to the microorganisms and/or their habitat.

Claims 30-35 (canceled)